

BEFORE THE PUBLIC UTILITIES COMMISSION OF THE STATE OF COLORADO

Docket No. 02M-259T

**IN THE MATTER OF QWEST CORPORATION'S COLORADO
PERFORMANCE ASSURANCE PLAN**

Docket No. 03M-078T

**IN THE MATTER OF THE FILING OF QWEST CORPORATION'S
STATEMENT OF GENERALLY AVAILABLE TERMS AND CONDITIONS**

COMPLIANCE FILING PURSUANT TO DECISION NO. 08-0700

Qwest Corporation ("Qwest") submits this compliance filing to revise Exhibit K ("Colorado Performance Assurance Plan" or "CPAP") and Exhibit B ("Performance Indicator Definitions" or "PID") to the Statement of Generally Available Terms and Conditions ("SGAT") pursuant to The Order Adopting Second Annual Review Report, Decision No. 08-0700 in Docket No. 02M-259T ("Second Annual Review Order") requiring a compliance filing by August 13, 2008.

A clean and redline version of the CPAP incorporating the required modifications are submitted concurrently and attached hereto as Exhibits A and B respectively. A clean and redline version of the PID incorporating the required modifications are also submitted concurrently, attached as Exhibits C and D, respectively. Additionally, Qwest will provide notice of this filing incorporating a description of the modifications explained below to Colorado CLECs through its wholesale notification process within five days of this filing.

A. Second Annual Review Order CPAP Modifications

Pursuant to the Second Annual Review Order,¹ Qwest made the following CPAP changes:

1. *Correct Table 2 variance factors:* Change “Add” to “Subtract” to reflect the proper action for modification calculations.
2. *Add 16.3.1:* Inserted language to eliminate the need for individual Commission orders to specify that changes apply to existing interconnection agreements between Qwest and CLECs.
3. *Update Appendix A:* This appendix describes which measurements are either included in the CPAP or subject to the Reinstatement/Removal Process and changes were made to reflect PID modifications consistent with the change from Electronic Data Interface (“EDI”) to Extensible Markup Language (“XML”).

B. Second Annual Review Order PID Modifications

Pursuant to the Second Annual Review Order, Qwest also made changes to the PID. These changes made the PID specific to Colorado and eliminated references to the Electronic Data Interface (“EDI”) because that interface was replaced with an XML interface in October 2007. Eleven measurements were impacted by these changes including: GA-2, GA-7, PO-1, PO-2, PO-3, PO-5, PO-6, PO-7, PO-16, PO-19, and PO-20². And GA-8³ was added as a replacement for GA-2.

¹ The second annual review of the CPAP was conducted in Docket No. 02M-259T. Staff filed its report on May 27, 2008. No one commented on the report.

² GA-2 – Gateway Availability – IMA-EDI (eliminated), GA-7 – Timely Outage Resolution following Software Releases, PO-1 – Pre-Order/Order Response Times, PO-2 – Electronic Flow-through, PO-3 – LSR Rejection Notice Interval, PO-5 – Firm Order Confirmations (FOCs) On Time, PO-6 – Work Completion Notification Timeliness, PO-7 – Billing Completion Notification Timeliness, PO-16 – Timely

WHEREFORE, Qwest requests that the Commission accept this CPAP and PID compliance filing pursuant to the revisions ordered in Docket No. 02M-259T so that each may become effective as expeditiously as possible applying all changes to existing Qwest interconnection agreements with CLECs that contain the PID and CPAP.

Dated this 13th day of August, 2008.

Qwest Corporation

By: 

Laurel L. Burke, No. 27221

Qwest Corporation
1801 California Street, 10th Floor
Denver, CO 80202
(303) 383-6618
(303) 303-383-8537 (fax)
laurel.burke@qwest.com

Attorney for Qwest Corporation

Release Notifications, PO-19 – Stand-Alone Test Environment (SATE) Accuracy, PO-20 (Expanded) – Manual Service Order Accuracy.

³ GA-8 – Gateway Availability – IMA-XML

CERTIFICATE OF SERVICE

I hereby certify that on this 13th day of August, 2008, the original and 5 copies of the foregoing **QWEST CORPORATION'S COMPLIANCE FILING PURSUANT TO DECISION NO. 08-0700** was hand-delivered to:

Doug Dean, Director
Colorado Public Utilities Commission
1580 Logan Street, Office Level 2
Denver, CO 80203

and a copy was placed in the United States mail, postage prepaid, addressed to the following:

Thomas G. Barkin
2190 Charnelton Street
Eugene, OR 97405
(via overnight mail)

Rebecca Quintana
Public Utilities Commission
1560 Broadway, Suite 250
Denver, CO 80203

Greg Diamond
Covad Communications Company
7901 Lowry Blvd.
Denver, CO 802030

John Epley
Public Utilities Commission
1560 Broadway, Suite 250
Denver, CO 80203

Wendie Allstot
Public Utilities Commission
1560 Broadway, Suite 250
Denver, CO 80203

Geri Santos-Rach
Public Utilities Commission
1560 Broadway, Suite 250
Denver, CO 80203

Karen L. Clauson
Eschelon Telecom, Inc.
730 Second Ave. South, Suite 1200
Minneapolis, MN 55402-2456

Anthony Marquez
Paul C. Gomez
Jennifer F. Warnken
1525 Sherman Street, 5th Floor
Denver, CO 80203


Letty S.D. Friesen
AT&T Communications
919 Congress Ave.
Suite 900
Austin, TX 78701

David M. Nocera
Assistant Attorney General
Business and Licensing Section
1525 Sherman Street, 5th Floor
Denver, CO 80203

Thomas F. Dixon
WorldCom, Inc.
707 17th Street, Suite #3900
Denver, CO 80202

Gary Klug
Public Utilities Commission
1560 Broadway, Suite 250
Denver, CO 80203

Roxi Nielsen
Public Utilities Commission
1560 Broadway, Suite 250
Denver, CO 80203

A handwritten signature in black ink, appearing to read "Gary Klug", is written over a horizontal line. The signature is stylized and cursive.

and a true and correct copy has been served electronically to the parties.